




Product Service

CERTIFICATE

No. Z2 111130 0002 Rev. 00

Holder of Certificate: MYLIGHT SYSTEMS S.A.S.
1609 Avenue Henri Schneider
ZAC des Gaulnes
69330 Jonage
FRANCE

Certification Mark:



Product: Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
Mono-crystalline Silicon Photovoltaic Module

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 701262100302-00

Valid until: 2026-11-08

Date, 2021-12-15

(Zhulin Zhang)

CERTIFICATE

No. Z2 111130 0002 Rev. 00

Model(s):

MYLxxxM6-72HSW-V, xxx=415-455, in steps of 5
 MYLxxxM6-60HSW-V, xxx=345-380, in steps of 5
 MYLxxxM6-72HBW-V, xxx=415-455, in steps of 5
 MYLxxxM6-72HBB-V, xxx=415-455, in steps of 5
 MYLxxxM6-60HBW-V, xxx=345-380, in steps of 5
 MYLxxxM6-60HBB-V, xxx=345-380, in steps of 5
 MYLxxxG1-60SW-V, xxx=315-330, in steps of 5
 MYLxxxG1-60BW-V, xxx=315-330, in steps of 5
 MYLxxxG1-60HSW-V, xxx=320-350, in steps of 5
 MYLxxxG1-60HBW-V, xxx=320-350, in steps of 5
 MYLxxxG1-60HBB-V, xxx=320-350, in steps of 5
 MYLxxxG1-72SW-V, xxx=385-395, in steps of 5
 MYLxxxG1-72BW-V, xxx=385-395, in steps of 5
 MYLxxxG1-72HSW-V, xxx=380-420, in steps of 5
 MYLxxxG1-72HBW-V, xxx=380-420, in steps of 5
 MYLxxxG1-72HBB-V, xxx=380-420, in steps of 5
 MYLxxxM2-60SW-V, xxx=280-310, in steps of 5
 MYLxxxM2-60BW-V, xxx=280-310, in steps of 5
 MYLxxxM2-60HSW-V, xxx=280-320, in steps of 5
 MYLxxxM2-60HBW-V, xxx=280-320, in steps of 5
 MYLxxxM2-72SW-V, xxx=335-375, in steps of 5
 MYLxxxM2-72BW-V, xxx=335-375, in steps of 5
 MYLxxxM2-72HSW-V, xxx=340-385, in steps of 5
 MYLxxxM2-72HBW-V, xxx=340-385, in steps of 5
 MYLxxxM10-72HSW-V, xxx=535-555, in steps of 5
 MYLxxxM10-72HBW-V, xxx=535-555, in steps of 5
 MYLxxxM10-72HBB-V, xxx=535-555, in steps of 5
 MYLxxxM10-60HSW-V, xxx=445-460, in steps of 5
 MYLxxxM10-60HBW-V, xxx=445-460, in steps of 5
 MYLxxxM10-60HBB-V, xxx=445-460, in steps of 5
 MYLxxxM10-54HSW-V, xxx=380-415, in steps of 5
 MYLxxxM10-54HBW-V, xxx=380-415, in steps of 5
 MYLxxxM10-54HBB-V, xxx=380-415, in steps of 5
 MYLxxM2-18XB-V, xxx=84-90, in steps of 1
 MYLxxM2-6XB-V, xxx=28-30, in steps of 1
 MYLxxxG12-66HSW-V, xxx=650-660, in steps of 5
 MYLxxxG12-66HBW-V, xxx=650-660, in steps of 5
 MYLxxxG12-66HBB-V, xxx=650-660, in steps of 5
 MYLxxxG12-60HSW-V, xxx=590-600, in steps of 5
 MYLxxxG12-60HBW-V, xxx=590-600, in steps of 5
 MYLxxxG12-60HBB-V, xxx=590-600, in steps of 5
 xxx is standing for rated output power at STC

Parameters:

Fire Safety Class:	Class C according to UL790.
Safety Class:	Class II
Max. System Voltage:	1500V DC
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute. No.10 West Kaifa Road, Yangzhou, 225009 Jiangsu, P.R.China.
Construction:	Framed or frameless, with Junction box, Cable and connectors.



CERTIFICATE

No. Z2 111130 0002 Rev. 00

**Tested
according to:**

IEC 61215-1:2016
EN 61215-1:2016
IEC 61215-1-1:2016
EN 61215-1-1:2016
IEC 61215-2:2016
EN 61215-2:2017
IEC 61730-1:2016
EN IEC 61730-1:2018
EN IEC 61730-1:2018/AC:2018-06
IEC 61730-2:2016
EN IEC 61730-2:2018
EN IEC 61730-2:2018/AC:2018-06